Registered No.—M. 1175

273
273

The Mysore Gazette.

Vol. 73] PUBLISHED BY AUTHORITY [No. 29

BANGALORE, THURSDAY, JULY 21, 1938.

PART V

Season Report for the Week ending with the Twenty-ninth Saturday in 1938
(16*th July* 1938.)

	District and Station	Rainfall up to 8 A.M. on Saturday, the 16th July 1938										Price of food grains in seers per rupee and market fluctuations in prices of food grains			
		This week		Last 35 years' average for the corresponding week		Up to the end of the week from 1st January 1938									
						This year		Average of past 35 years		Excess (+) or deficit (—) of column 4 compared with column 5					
	1	2		3		4				6		7			
		I.	c.	I.	c.	I.	c	I.	c.	I	c.		This week	Past week	Past ten years' fortnightly average
BANGALORE	Bangalore (observatory)	0	02	0	98	06	52	11	45	—4	93				
	Hoskote ...	0	23	0	68	05	97	09	58	—3	61		Seers	Seers	Seers
	Dodballapur ...	0	37	0	94	08	60	10	17	—1	57	Rice, 2nd sort.	7·00	7·00	8·00
	Nelamangala ...	0	38	0	67	06	89	09	55	—2	66				
	Kankanhalli ...	0	18	0	69	05	25	11	00	—5	75	Ragi	17·00	17·00	20·00
	Magadi ...	0	00	0	72	08	63	10	46	—1	83				
	Channapatna ...	0	20	0	88	10	45	11	60	—1	15	Kulthi	14·00	14·00	15·00
	Anekal ...	0	30	0	78	05	00	11	66	—6	66				
	Devanhalli ...	0	25	0	81	04	42	10	16	—5	74	Kadale	8·00	8·00	10·00
	Closepet ...	0	31	0	77	07	09	11	52	—4	43				
	District average ...	0	22	0	79	06	88	10	71	—3	83				
KOLAR	Kolar ...	0	00	0	76	04	94	08	89	—3	95				
	Bowringpet ...	0	00	0	79	06	13	08	92	—2	79				
	Chintamani ...	0	00	0	84	07	61	09	17	—1	56	Rice, 2nd sort.	7·50	8·00	6·00
	Mulbagal ...	0	00	0	88	06	07	09	05	—2	98				
	Sidlaghatta ...	0	28	0	97	08	60	09	56	—0	96	Ragi	18·00	18·00	12·00
	Chikballapur ...	0	62	0	90	05	82	09	88	—4	06				
	Bagepalli ...	0	57	0	88	07	84	08	00	—0	16	Kulthi	15·00	15·00	11·00
	Goribidnur ...	0	15	1	00	04	63	06	69	—4	06				
	Malur ...	0	30	0	74	09	10	09	76	—0	66	Kadale	8·00	8·00	7·00
	Srinivaspur ...	0	15	0	88	07	68	09	10	—1	42				
	Gudibanda ...	2	15	0	85	06	05	09	46	—3	41				
	District average ...	0	38	0	86	06	77	09	13	—2	36				
TUMKUR	Tumkur ...	1	61	1	00	05	92	10	38	—4	41				
	Madhugiri ...	0	09	0	70	03	44	09	10	—5	66				
	Chiknaikanhalli ...	0	41	0	65	05	06	09	94	—4	88	Rice, 2nd sort.	9·00	9·00	5·00
	Sira ...	0	00	0	40	02	90	07	44	—4	54				
	Gubbi ...	1	78	0	87	12	10	09	52	+2	58	Ragi	17·50	17·00	11·00
	Tiptur ...	0	30	0	51	02	49	08	82	—6	33				
	Pavagada ...	0	59	0	40	08	91	06	73	+2	18	Kulthi	11·00	11·00	12·00
	Kunigal ...	0	00	0	65	05	81	09	33	—3	52				
	Koratagere ...	0	08	0	70	04	36	09	36	—5	00	Kadale	9·00	9·00	5·00
	Turuvekere ...	1	18	0	68	05	73	09	26	—3	53				
	District average ...	0	50	0	65	05	67	08	98	—3	31				

District and Station	Rainfall up to 8 A.M. on Saturday, the 16th July 1938										Price of food grains in seers per rupee and market fluctuations in prices of food grains			
	This week		Last 35 years' average for the corresponding week		Up to the end of the week from 1st January 1938									
					This year		Average of past 35 years		Excess (+) or deficit (—) of column 4 compared with column 5					
1	2		3		4		5		6		7			
	I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightl avarage
Mysore (observatory)	0	26	0	63	04	67	12	00	— 7	33				
Chamarajnagar ...	0	00	0	42	02	70	10	39	— 7	69				
Seringapatam ...	0	00	0	36	08	33	10	45	— 2	12		Seers	Seers	Seers
Hunsur ...	1	00	0	96	10	22	13	76	— 3	54				
Krishnarajnagar ...	0	09	0	70	06	55	10	41	— 3	86	Rice, 2nd sort.	9·00	9·00	8·00
Heggaddevankote	0	52	1	86	17	56	16	65	+ 0	91				
Gundlupet ...	0	00	0	54	06	44	11	04	— 4	60	Ragi	17·00	17·00	17·00
Nanjangud ...	0	00	0	70	05	30	11	99	— 6	65				
T.-Narsipur ...	0	00	0	45	07	68	10	90	— 3	22	Kulthi	14·00	14·00	14·00
Malvalli ...	0	06	0	42	05	38	09	88	— 4	50				
Mandya ...	0	00	0	31	04	50	09	99	— 5	49	Kadale	...	...	...
Krishnarajpete ...	0	25	0	64	06	48	11	58	— 5	10				
Nagamangala ...	0	07	0	30	03	42	09	22	— 5	80				
Periyapatna ...	0	33	1	38	10	07	15	37	— 5	30				
Maddur ...	0	06	0	50	04	42	09	23	— 4	81				
French-Rocks ...	0	00	0	36	02	51	09	85	— 7	34				
MYSORE District average ...	0	17	0	66	06	64	11	42	— 4	78				
Hassan (observatory)	1	03	1	46	07	52	13	75	— 6	23				
Manjarabad (Sakleapur)	8	72	7	51	39	23	40	21	— 0	98	Rice, 2nd sort.	9·00	9·00	9·50
Arkalgud ...	1	43	2	01	10	83	15	36	— 4	53				
Belur ...	1	75	2	13	12	42	17	69	— 5	27	Ragi	19·00	19·00	19·00
Channarayapatna ...	0	75	0	62	03	76	10	78	— 7	02				
Arsikere ...	0	19	0	61	05	66	09	63	— 3	97	Kulthi	12·00	12·00	14·00
Hole-Narsipur ...	0	50	0	95	06	40	11	24	— 4	84				
Alur ...	1	86	2	22	11	77	18	22	— 6	45	Kadale	8·00	8·00	8·00
HASSAN District average ...	2	03	3	19	12	20	17	11	— 4	91				
Shimoga ...	0	93	2	14	08	98	13	47	— 4	49				
Channagiri ...	1	00	1	14	07	30	10	21	— 2	91				
Honnali ...	0	58	0	79	08	04	09	33	— 1	29	Rice, 2nd sort.	8·00	8·00	7·58
Shikarpur ...	2	16	2	41	16	32	14	45	+ 1	87				
Scrab ...	4	82	4	80	28	01	25	93	+ 2	08	Ragi	20·00	20·00	17·74
Sagar ...	5	61	7	00	44	73	35	55	+ 9	18				
Nagar (Kallurkatte) ...	8	53	8	87	63	17	49	48	+13	69	Kulthi	11·00	12·00	11·29
Tirthahalli ...	11	52	11	05	60	87	51	51	+ 9	36				
Kumsi ...	2	80	2	85	15	62	17	50	— 1	97				
SHIMOGA District average ...	4	13	4	56	28	11	25	28	+ 2	83				
Chikmagalur ...	1	07	1	72	08	62	16	35	— 7	73				
Kadur ...	0	00	0	77	01	91	09	05	— 7	14	Rice, 2nd sort.	8·00	8·00	8·00
Tarikere ...	1	67	2	10	08	54	13	53	— 4	99				
Koppa ...	7	70	9	75	57	46	47	11	+10	35	Ragi	20·00	20·00	22·00
Mudgere ...	7	94	7	38	34	99	42	15	— 7	16				
Narasimharajpura ...	3	25	6	01	24	79	29	46	— 4	67	Kulthi	11·00	12·00	16·00
Sringeri ...	8	87	12	23	89	06	61	54	+27	52				
KADUR District average ...	4	36	5	71	32	19	31	31	+ 0	88	Kadale	9·00	9·00	9·00
Chitaldrug (observatory)	0	22	0	50	05	56	08	53	— 2	97				
Challakere ...	0	14	0	30	02	27	06	08	— 3	81	Rice, 2nd sort.	7·50	7·50	5·00
Hiriyur ...	0	12	0	38	02	94	07	71	— 4	77				
Holalkere ...	0	99	0	73	07	70	08	53	— 0	83	Ragi	22·00	22·00	12·00
Davangere ...	0	57	0	73	03	39	08	83	— 5	44				
Molakalmuru ...	0	00	0	50	03	94	07	07	— 3	13	Kulthi	12·00	12·00	9·00
Jagalur ...	0	20	0	52	05	70	07	78	— 2	08				
Hosdurga ...	0	16	0	67	01	14	08	78	— 7	64	Cholum	16·00	16·00	12·00
Harihar ...	0	59	0	53	04	28	07	52	— 3	24				
CHITALDRUG District average ...	0	33	0	54	04	10	07	87	— 3	77	Kadale	8·00	8·00	5·00
Provincial average ...	1	52	1	99	12	82	15	23	— 2	41				

NOTE—Rice (husked)—Oryza Sativa
Ragi—Eleusine Coro cana.
Cholum—Sorghum Vulgere.
Kadale—(Bengalgram) Ciser Arietinum.

DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of the season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief and state of food stocks.

11. Remarks as to the condition of agricultural stock, failure of pasturage or fodder, etc.

BANGALORE CITY AND TALUKS.

8. Well supplied.

9. *Standing Crops.*—Paddy, sugarcane and til are in good condition.

Crops Harvested.—Nil.

Crops Sown.—Ragi, avare and thogari are being sown in parts of Bangalore, Magadi, Dodballapur, Closepet, Devanhalli and Hoskote Taluks.

10. Good.

11. Cattle are generally healthy.

Water and fodder are available.

KOLAR.

8. Well supplied.

9. *Agricultural Operations.*—Raiyats are engaged in ploughing and manuring the fields.

Standing Crops.—Paddy, sugarcane, ragi, thogari, groundnut, haraka, same, giddaragi and til are reported to be in good condition.

Crops Sown.—Same, sajje, ragi, thogari, castor, navane and groundnut.

Crops Harvested.—Paddy in part of Goribidnur Taluk under wells.

10. Generally good except for the prevalence of Plague at Holur and Thoradevandahalli Villages in Kolar Taluk, Budikote in Bowringpet Taluk, Padathimmanahall, Hosakote and Thernahalli Villages in Srinivaspur Taluk. Preventive measures are reported to have been adopted to check the spread of the disease.

11. Cattle are reported to be generally healthy throughout the district except for the prevalence of "Blackquarter" in Cheemangala and Yennur Villages in Sidlaghatta Taluk, Halepalya and Hunasikote Villages in Malur Taluk. Anthrax is prevailing in Lakkur Village, Malur Taluk.

Water and fodder are available except in some parts of Sadli and Jangamkote Hoblies in Sidlaghatta Taluk where fodder is being imported.

It is reported that Pupal and date leaves are being freely used as fodder in Goribidnur Taluk.

Cooly classes find sufficient labour.

TUMKUR.

8. Markets are well supplied.

9. *Seeds Sown.*—Ragi in Tumkur, Chiknaikanhalli, Gubbi, Sira and Pavagada Taluks; paddy in Tumkur, Chiknaikanhalli Taluks; castor in Tumkur and Turuvekere Taluks; avare in Tumkur, Chiknayakanhalli and Gubbi Taluks; thogari in Tumkur, Chiknaikanhalli, Gubbi and Turuvekere Taluks; jola in Chiknaikanhalli Gubbi and Turuvekere Taluks; groundnut, navane and haraka in Pavagada Taluk only; chillies in Tumkur Taluk only.

Standing Crops.—Paddy in Tumkur, Kunigal and Turuvekere Taluks; sugarcane in Tumkur, Kunigal, Koratagere and Turuvekere Taluks; jola in Chiknaikanhalli, Tumkur, Koratagere and Turuvekere Taluks; groundnut in Koratagere Taluk; avare in Koratagere, til in Chiknaikanhalli and Turuvekere Taluks; castor and thogari in Turuvekere Taluk.